ebuildingproducts.com

The Steel Network, Inc.



StiffClip® AL

Multi-Directional Load Resistant Angle

Material Composition

ASTM A1003/A1003M Structural Grade 50 (340) Type H, ST50H (ST340H): 50ksi (340MPa) minimum yield strength, 65ksi (450MPa) minimum tensile strength, 68mil minimum thickness (14 gauge, 0.0713" design thickness) with ASTM A653/A653M G90 (Z275) hot dipped galvanized coating.








StiffClip AL Allowable Loads

StiffClip® AL, Recommended Allowable Load (lbs): F1 & F2														
Stud		F1 Load Direction			F2 Load Direction									
Thickness Mils (ga)	Yield Strength (ksi)	AL362	AL600	AL800		AL362			AL600			AL800		
		w/3 #12 Screws	w/3 #12 Screws	w/4 #12 Screws	w/2 #12 Screws	w/3 #12 Screws	w/4 #12 Screws	w/2 #12 Screws	w/3 #12 Screws	w/4 #12 Screws	w/2 #12 Screws	w/4 #12 Screws	w/6 #12 Screws	
33 (20)	33	191	191	191	377	490	754	377	463	752	377	754	1,131	
33 (20)	50	275	275	275	544	708	1,089	544	670	1,089	544	1,089	1,633	
43 (18)	33	248	248	248	561	729	1,122	560	690	1,120	561	1,122	1,683	
43 (18)	50	359	359	359	810	1,053	1,470	810	997	1,620	810	1,620	2,430	
54 (16)	33	312	312	312	789	1,025	1,470	788	970	1,577	789	1,577	2,366	
54 (16)	50	450	450	450	1,139	1,470	1,470	1,138	1,401	2,091	1,139	2,278	2,516	
68 (14)	50	567	567	567	1,470	1,470	1,470	1,610	1,981	2,091	1,610	2,516	2,516	
97 (12)	50	809	809	809	1,470	1,470	1,470	1,698	2,089	2,091	1,698	2,516	2,516	
118 (10)	50	856	856	856	1,470	1,470	1,470	1,698	2,089	2,091	1,698	2,516	2,516	
Max Allowable Clip Load		975	866	1,768	1,470			2,091			2,516			

StiffClip® AL, Recommended Allowable Load (lbs): F3											
St	F3 Load Direction										
	Yield		AL362			AL600		AL800			
Thickness Mils (ga)	Strength (ksi)	w/2 #12 Screws	w/3 #12 Screws	w/4 #12 Screws	w/2 #12 Screws	w/3 #12 Screws	w/4 #12 Screws	w/2 #12 Screws	w/4 #12 Screws	w/6 #12 Screws	
33 (20)	33	256	409	511	324	495	650	347	692	987	
33 (20)	50	370	591	738	468	716	939	501	999	1,426	
43 (18)	33	381	609	760	482	737	967	516	1,029	1,469	
43 (18)	50	551	879	1,098	697	1,065	1,398	745	1,487	2,123	
54 (16)	33	536	856	1,069	678	1,037	1,360	726	1,447	2,066	
54 (16)	50	775	1,236	1,543	980	1,498	1,965	1,048	2,090	2,984	
68 (14)	50	1,095	1,747	2,182	1,385	2,118	2,778	1,482	2,955	4,219	
97 (12)	50	1,155	1,842	2,301	1,460	2,233	2,929	1,562	3,116	4,449	
118 (10)	50	1,155	1,842	2,301	1,460	2,233	2,929	1,562	3,116	4,449	
Max Allowal		2,458			3,015		6,128				





**Important notes for StiffClip AL Allowable Load tables continued on next page.

072014


ebuildingproducts.com

The Steel Network, Inc.

Notes

- Allowable load tables incorporate eccentric loading of fasteners attached 3/4" from the heel of the clip. Values with welded connection may increase.
- The attachment of the 1.5" leg of StiffClip AL is dependent on the allowable loads of the fasteners, and is to be designed by others.
- Fasten within $\frac{3}{4}$ " from the angle heel (centerline of the $1\frac{1}{2}$ " leg).
- All guide holes may not require fasteners. Number of fasteners used is to be determined by designer.
- Stiffening ribs are not present in the AL800.
- StiffClip AL is tested to resist loads in horizontal, vertical, and lateral directions.
- Loads listed reflect force in a single direction. When multiple loads react on the connection, it is the responsibility of the designer to check the interaction of forces.
- Allowable loads are for attachment through 3" leg only. Attachment through 1.5" leg should be engineered. (See material composition above for calculation purposes.)
- Allowable loads have not been increased for wind, seismic, or other factors.
- Torsional effects are considered on screw group for F2 & F3 allowable loads. It is assumed that half of the torsional moment is taken by the connection to the structure and half is taken by the connection to the stud.

Screw Patterns



Nomenclature

StiffClip AL is available for various stud depths. To specify, multiply stud depth by 100.*


Example: 6" stud depth Designate: StiffClip® AL600

* The AL362 fits 3 5/8" and 4" member depths

** Stiffening ribs are not present in the AL800.

Example Details

















072014