





## FIRE PROTECTION CABINET - ARCHITECTURAL: CAVALIER FIRE-FX2™ SERIES - Bronze/Brass

As a leader in the industry, JL Industries offers a cabinet with an upscale finish: The Architectural Cavalier Series. Available with a variety of lustrous finishes in multiple tub sizes designed to be compatible multiple fire extinguishers. Select from a wide variety of options and accessories, this cabinet will meet all your project needs.



C1057F10FX2



C1057G10FX2

### SPECIFICATIONS:

#### Tub Material & Finish:

Steel, white powder coat (recessed & semi-recessed)

**Trim Material & Finish:** US10, US10B, US3, US4

**Door Material & Finish:** US10, US10B, US3, US4

**Glazing:** .090" Clear acrylic

**Insulation:** Foil-faced mineral wool

**Hinge:** Continuous hinge, opens to 180°

**Hardware:** Pull handle of matching material with roller catch or cylinder Saf-T-Lok™

**ADA Compliance:** Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-½" trim style do not comply with ADA.

### FIRE-RATINGS:

UL classified and labeled up to 2 hours in accordance with UL 1479 (ASTM-E814) and CAN/USC-S115.

### OPTIONS:

**Tub:** Same material as door & trim

**Door:** Full, vertical duo, solid, horizontal

**Glazing:** 1/8" clear tempered, 1/4" clear wired glass, 1/8" bronze acrylic, 1/8" gray acrylic, 1/4" clear laminated safety glass

**Handles:** Recessed handle

**Alarms:** Commander alarm, Brigadier alarm, Strobe alarm

**Lettering:** Silkscreen, etching

### ADDITIONAL ACCESSORIES (sold separately)

Die cuts, decals, plastic signs

See supplemental submittals for more information on various options and accessories.

### ADA CABINET MOUNTING HEIGHT:

Standard pull on G, E, W, L22 and B door styles with Saf-T-Lok are 3-½" higher than door center, so allow for that when mounting cabinet.

Standard Pull with no lock or flush pull are centered on door.

Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.



**JL INDUSTRIES**


Distributor:		Project:	
Contractor:		Approved By:	
Date:		Architect:	
Scale: N/A	Page 1 of 3	Item#:	

**FIRE PROTECTION CABINET - ARCHITECTURAL: CAVALIER FIRE-FX2™ SERIES - Bronze/Brass**

QTY	MODEL & TRIM					ADA	TUB I. D.			TRIM O. D.		WALL ROUGH OPENING*			WT LBS	COMPATIBLE FIRE EXTINGUISHERS
	MODEL US10	MODEL US10B	MODEL US3	MODEL US4	TRIM PROJECTION		WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)		
	C8145	C8185	C8155	C8175	3/8" flat square	✓	9"	18"	5-1/2"	12-3/8"	21-3/8"	11-5/16"	20-5/16"	6-7/16"	16	Cosmic, Galaxy 2.5 - 6 lb (mount 6 lb to tub) Mercury 2.5 - 5 lb
	C8146	C8186	C8156	C8176	1-1/2" square	✓	9"	18"	5-1/2"	12-3/8"	21-3/8"	11-5/16"	20-5/16"	5-3/16"	16	
	C1845	C1885	C1855	C1875	3/8" flat square	✓	10-1/2"	24"	5-1/2"	13-3/8"	27-3/8"	12-13/16"	26-5/16"	6-7/16"	19	Cosmic/Galaxy 2.5 - 6 lb (mount 6 lb to tub) Mercury 2.5 - 5 lb
	C1846	C1886	C1856	C1876	1-1/2" square	✓	10-1/2"	24"	5-1/2"	13-3/8"	27-3/8"	12-13/16"	26-5/16"	5-3/16"	20	
	C1847	C1887	C1857	C1877	3" rolled	✓	10-1/2"	24"	5-1/2"	13-3/8"	27-3/8"	12-13/16"	26-5/16"	3-11/16"	22	
	C1045	C1085	C1055	C1075	3/8" flat square	✓	10-1/2"	24"	6"	13-3/8"	27-3/8"	12-13/16"	26-5/16"	6-15/16"	19	Cosmic, Galaxy 2.5 - 10 lb Mercury 2.5 - 5 lb Sentinel 5 lb
	C1046	C1086	C1056	C1076	1-1/2" square	✓	10-1/2"	24"	6"	13-3/8"	27-3/8"	12-13/16"	26-5/16"	5-11/16"	20	
	C1047	C1087	C1057	C1077	3" rolled	✓	10-1/2"	24"	6"	13-3/8"	27-3/8"	12-13/16"	26-5/16"	4"	22	
	C2045	C2085	C2055	C2075	3/8" flat square	✓	12"	27"	7-3/4"	15-3/8"	30-3/8"	14-5/16"	29-5/16"	8-11/16"	27	Cosmic, Galaxy (mount 20 lb to tub) Mercury 2.5 - 15.5 lb Sentinel 5 - 10 lb
	C2046	C2086	C2056	C2076	1-1/4" square	✓	12"	27"	7-3/4"	15-3/8"	30-3/8"	14-5/16"	29-5/16"	7-11/16"	28	
	C3045	C3085	C3055	C3075	3/8" flat square	✓	16"	32"	7-3/4"	19-3/8"	35-3/8"	18-5/16"	34-5/16"	8-11/16"	43	Cosmic, Galaxy (mount 20 lb to tub) Mercury 2.5 - 15 lb Sentinel 5 - 15 lb
	C3046	C3086	C3056	C3076	1-1/4" square	✓	16"	32"	7-3/4"	19-3/8"	35-3/8"	18-5/16"	34-5/16"	7-11/16"	43	

Fire-rated specific wall opening

\*Confirm wall rough opening depth prior to ordering



TRIM STYLE & PROJECTION		
RECESSED	SEMI RECESSED	
5	6	7
3/8" Flat Square	1-1/4" or 1-1/2" Square	3" Rolled


**FIRE PROTECTION CABINET - ARCHITECTURAL: CAVALIER FIRE-FX2™ SERIES - Bronze/Brass**

	SOLID	FULL VIEW	VERTICAL DUO	HORIZONTAL DUO
STANDARD PULL	<b>S21</b>	<b>F</b>	<b>V</b>	<b>D</b>
STANDARD PULL & SAF-T-LOK	<b>L22</b>	<b>G</b>	<b>W</b>	<b>E</b>
NO HANDLE & SAF-T-LOK	<b>L24</b>			

**HANDLE/LATCH OPTIONS (sold separately)**

QTY	MODEL	DESCRIPTION
	<b>PUF</b>	Futura "FIRE" Mill
	<b>PUFR</b>	Futura "FIRE" Red
	<b>PUFW</b>	Futura "FIRE" White
	<b>PUCH</b>	Chrome pull handle

**PLASTIC SIGNS (sold separately)**

QTY	MODEL	DESCRIPTION
	<b>22S</b>	FE, 3D ANGLE, 4" x 12"
	<b>23S</b>	FE, 3D TENT, 4" x 18"
	<b>24S</b>	FE, 3D TENT, 5" x 6"
	<b>25S</b>	FE, FLUSH, 4" x 12"

**DOOR/LATCH STYLE**

MODEL	DESCRIPTION	MODEL	DESCRIPTION
<b>F</b>	Full view	<b>10</b>	.09" Clear acrylic
<b>G</b>	Full view w/ Saf-T-Lok™	<b>13</b>	1/4" Clear wired glass
<b>D</b>	Horizontal duo	<b>15</b>	1/8" Bronze acrylic
<b>E</b>	Horizontal duo w/ Saf-T-Lok™	<b>16</b>	1/8" Gray acrylic
<b>V</b>	Vertical duo	<b>17</b>	1/8" Clear tempered glass
<b>W</b>	Vertical duo w/ Saf-T-Lok™	<b>18</b>	1/4" Clear safety glass
<b>B</b>	Small view window w/ Saf-T-Lok™	<b>21</b>	No glazing, no lock w/ pull (S21 only)
<b>S</b>	Solid (no glazing)	<b>22</b>	No glazing, Saf-T-Lok™ w/ pull (L22 only)
<b>L</b>	Solid (no glazing) / Saf-T-Lok™	<b>24</b>	No glazing, Saf-T-Lok™ and no pull (L24 only)

**GLAZING/DOOR TYPE**
**OPTIONS HANDLE/LATCH  
(installed at an additional cost)**

MODEL	DESCRIPTION	MODEL	DESCRIPTION
<b>A</b>	Recessed handle	<b>CA</b>	Commander
<b>LH</b>	Lever handle (not avail. with Saf-T-Lok™)	<b>BA</b>	Brigadier
<b>MC</b>	Magnetic latch (replaces roller catch)	<b>SA</b>	Strobe

**ALARM OPTIONS**
**(installed at an additional cost)**
**FINISH OPTIONS**

MODEL	DESCRIPTION	MODEL	DESCRIPTION
<b>BK</b>	Black door, trim, tub	<b>SS</b>	Silkscreen
<b>R</b>	Red door, trim, tub	<b>ET</b>	Etching on glass
<b>COLOR - OTHER (please specify)</b>		<b>EN</b>	Engraving on metal
<b>Door</b>		<b>LETTERING - OTHER (please specify)</b>	
<b>Trim</b>		<b>Other</b>	
<b>Tub</b>		Refer to supplemental submittal for more options	

**CUSTOM LETTERING OPTIONS**
**(when manufactured at additional cost)**
**LETTERING (sold separately)**

QTY	MODEL	"FIRE EXTINGUISHER" DESCRIPTION
	<b>LDCVFE</b>	DIE CUT, VERT, RED, 3/4" x 18"
	<b>LDCVWFE</b>	DIE CUT, VERT, WHITE, 3/4" x 18"
	<b>LDCVBFE</b>	DIE CUT, VERT, BLACK, 3/4" x 18"
	<b>LDVFE</b>	DECAL, VERT, RED, 3/4" x 18"
	<b>LDVBFE</b>	DECAL, VERT, BLACK, 3/4" x 18"
	<b>LDVWFE</b>	DECAL, VERT, WHITE, 3/4" x 18"
	<b>LDCVFE-ESM-A</b>	DIE CUT, VERT, RED, (fits 81 tub), 3/4" x 14"
	<b>LDCHRF-2</b>	DIE CUT, HORZ, RED, 2" HIGH, 4-1/2" x 21"
	<b>Other</b>	

Refer to supplemental submittal for more options

Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.