


FIRE PROTECTION CABINET - ARCHITECTURAL: AMBASSADOR SERIES - Steel

As a leader in the industry, JL Industries offers our best-selling traditional and specified durable steel cabinet: The Ambassador Series. Available with a wide variety of options and accessories, this cabinet will meet all your project needs.



C1017F10

C1017G10

SPECIFICATIONS:

Tub Material: Based on size

20 ga: Cold Rolled Steel (CRS) white powder coat; 40 tub

22 ga: Cold Rolled Steel (CRS) white powder coat; 81, 17, 20, 30 tub

24 ga: Galvanized painted white; 10, 18 tub

Trim Material & Finish: based on style; white powder coat

18 gauge cold rolled steel: Semi-recessed rolled trim with projection: 2-1/2", 3", 4", and 4-1/2"

20 gauge cold rolled steel: Full recessed 3/8" square flat trim, semi-recessed 1-1/4", 1-1/2", and 2-1/4" square trim, surface-mount square trim, surface-mount rolled trim

Door Material & Finish: 20 gauge cold rolled steel; white powder coat

Glazing: .090" Clear acrylic

Hinge: Continuous hinge, white cold rolled steel, opens to 180°

Hardware: Zinc plated pull handle with roller catch or cylinder Saf-T-Lok™

ADA Compliance: Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-1/2" trim style do not comply with ADA.

OPTIONS:

Door: Full, vertical duo, solid, horizontal

Glazing: 1/8" clear tempered, 1/4" WireShield, 1/8" bronze acrylic, 1/8" gray acrylic, 1/4" clear laminated safety glass

Handles: Recessed handle, magnetic catch

Alarms: Commander alarm, Brigadier alarm, Strobe alarm

Material: Satin chrome, galvanized

Finish: Red, black, other powder coat colors

Lettering: Silkscreen, engraving, etching

ADDITIONAL ACCESSORIES (sold separately)

Die cuts, decals, plastic signs

See supplemental submittals for more information on various options and accessories.

Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.



JL INDUSTRIES



| | | | |
|--------------|--|--------------|--|
| Distributor: | | Project: | |
| Contractor: | | Approved By: | |
| Date: | | Architect: | |
| Scale: N/A | | Item#: | |

Page 1 of 4

FIRE PROTECTION CABINET - ARCHITECTURAL: AMBASSADOR SERIES - Steel

*Confirm wall rough opening depth prior to ordering

| COMPATIBLE FIRE EXTINGUISHERS | MODEL & TRIM | | ADA | TUB I. D. | | | TRIM O. D. | | WALL ROUGH OPENING* | | | WT | | | | |
|---|--------------|-----------------------|-----|--------------|---------------|--------------|--------------|---------------|------------------------|---------------|--------------|-------|----|----|--|---|
| | MODEL | TRIM PROJECTION | ≤4" | WIDTH (A) | HEIGHT (B) | DEPTH (C) | WIDTH (E) | HEIGHT (F) | WIDTH (W) | HEIGHT (H) | DEPTH (D) | LBS | | | | |
| Cosmic, Galaxy 2.5 - 6 lb (mount 6 lb to tub) Mercury 2.5 - 5 lb | C8115 | 3/8" flat square | ✓ | 9" | 18" | 5-½" | 12-¾" | 21-¾" | 10" | 19" | 5-¾" | 11 | | | | |
| | C8116 | 1-½" square | ✓ | | | | | | | | 4-⅞" | | | | | |
| | C8117 | 2-½" rolled | ✓ | | | | | | | | 3-⅞" | | | | | |
| | C8113 | surface-mount square | | 12-⅜" | 21-⅜" | 6" | | | - | - | - | 13 | | | | |
| | C8119 | surface-mount rolled | | | | | | | | | | | | | | |
| Cosmic, Galaxy Mercury 2.5 - 5 lb | C1710 | 2-¼" square | ✓ | 10-½" | 24" | 5-½" | 13-⅞" | 27-⅜" | 11-½" | 25" | 3" | 18 | | | | |
| Cosmic/Galaxy 2.5 - 6 lb (mount 6 lb to tub) Mercury 2.5 - 5 lb | C1815 | 3/8" flat square | ✓ | 10-½" | 24" | 5-½" | 13-⅞" | 27-⅜" | 11-½" | 25" | 5-¾" | 16 | | | | |
| | C1816 | 1-½" square | ✓ | | | | | | | | 4-⅞" | | | | | |
| | C1817 | 3" rolled | ✓ | | | | | | | | 2-⅝" | | | | | |
| | C1812 | 4" rolled w/ rec hndl | ✓ | | | | | | | | 1-⅞" | | | | | |
| | C1818 | 4-½" rolled | | | | | | | | | 1-⅝" | | | | | |
| | C1813 | surface-mount square | | 13-⅞" | 27-⅜" | 6" | - | - | - | 21 | | | | | | |
| Cosmic, Galaxy 2.5 - 10 lb Mercury 2.5 - 5 lb Sentinel 5 lb | C1015 | 3/8" flat square | ✓ | 10-½" | 24" | 6" | 13-⅞" | 27-⅜" | 11-½" | 25" | 5-⅞" | 17 | | | | |
| | C1016 | 1-½" square | ✓ | | | | | | | | 4-⅝" | | | | | |
| | C1017 | 3" rolled | ✓ | | | | | | | | 3-⅞" | | | | | |
| | C1012 | 4" rolled w/ rec hndl | ✓ | | | | | | | | 2-⅜" | | | | | |
| | C1018 | 4-½" rolled | | | | | | | | | 1-⅝" | | | | | |
| | C1013 | surface-mount square | | 13-⅞" | 27-⅜" | 6-½" | - | - | - | 18 | | | | | | |
| | C1019 | surface-mount rolled | | | | | | | | | | | | | | |
| Cosmic, Galaxy (mount 20 lb to tub) Mercury 2.5 - 15 lb (mount 15.5 lb to tub) Sentinel 5 - 10 lb Grenadier, Saturn, Nebula 270 | C2015 | 3/8" flat square | ✓ | 12" | 27" | 7-¾" | 15-⅜" | 30-⅜" | 13" | 28" | 7-⅝" | 23 | | | | |
| | C2016 | 1-¼" square | ✓ | | | | | | | | 6-⅝" | 24 | | | | |
| | C2017 | 2-½" rolled | ✓ | | | | | | | | 5-⅜" | 25 | | | | |
| | C2012 | 4" rolled w/ rec hndl | ✓ | | | | | | | | 4-⅞" | 27 | | | | |
| | C2018 | 4-½" rolled | | 15-⅜" | 30-⅜" | - | | | | | - | | - | 28 | | |
| | C2013 | surface-mount square | | | | | | | | | | | | | | |
| | C2019 | surface-mount rolled | | | | | | | | | | | | | | |
| Cosmic, Galaxy (mount 20 lb to tub) Mercury 2.5 - 15 lb (mount 15.5 lb to tub) Sentinel 5 - 15 lb Grenadier, Saturn Nebula 250-272 | C3015 | 3/8" flat square | ✓ | 16" | 32" | 7-¾" | 19-⅜" | 35-⅜" | 17" | 33" | 7-⅝" | 35 | | | | |
| | C3016 | 1-¼" square | ✓ | | | | | | | | 6-⅝" | | | | | |
| | C3017 | 2-½" rolled | ✓ | | | | | | | | 5-⅜" | 37 | | | | |
| | C3012 | 4" rolled w/ rec hndl | ✓ | | | | | | | | 4-⅞" | | | | | |
| | C3018 | 4-½" rolled | | | | | | | | | 19-⅜" | 35-⅜" | 8" | | | - |
| | C3013 | surface-mount square | | | | | | | | | | | | | | |
| | C3019 | surface-mount rolled | | | | | | | | | | | | | | |
| Two each of: Cosmic, Galaxy (FE20C) (mount 20 lb to tub) Mercury 2.5 - 15.5 lb Sentinel 5 lb Grenadier Saturn | C4015 | 3/8" flat square | ✓ | 20" | 27" | 7-¾" | 23-⅜" | 30-⅜" | 21" | 28" | 7-⅝" | 36 | | | | |
| | C4016 | 1-¼" square | ✓ | | | | | | | | 6-⅝" | | | | | |
| | C4017 | 2-½" rolled | ✓ | | | | | | | | 5-⅝" | 37 | | | | |
| | C4012 | 4" rolled w/ rec hndl | ✓ | | | | | | | | 4-⅞" | | | | | |
| | C4018 | 4-½" rolled | | 23-⅜" | 30-⅜" | 8" | | | | | - | - | - | 39 | | |
| | C4013 | surface-mount square | | | | | | | | | | | | | | |
| | C4019 | surface-mount rolled | | | | | | | | | | | | | | |



FIRE PROTECTION CABINET - ARCHITECTURAL: AMBASSADOR SERIES - Steel

COMMON CABINETS

| QTY | MODEL | DESCRIPTION |
|-----|----------|--|
| | C1017F10 | 3" RLD TRIM, FL VIEW, CLR ACR |
| | C1017V10 | 3" RLD TRIM, VERT, CLR ACR |
| | C1017G10 | 3" RLD TRIM, FL VIEW W SAFTLOK, CLR ACR |
| | C1017W10 | 3" RLD TRIM, VERT DUO W SAFTLOK, CLR ACR |
| | C1013F10 | SURF MT, FL VIEW, CLR ACR |
| | C1013G10 | SURF MT, FL VIEW W SAFTLOK, CLR ACR |

GLAZING

| QTY | MODEL | DESCRIPTION |
|-----|--------|-------------------------------------|
| | G10F17 | 1/8" CLR TEMPERED, 8-1/2" x 22-3/4" |

For quick ship from warehouses, order separately with cabinet instead of made-to-order on cabinet.
Ex. Order C1017F10 and G10F17 instead of C1017F17

HANDLES

| QTY | MODEL | DESCRIPTION |
|-----|-------|-----------------------------|
| | PUF | FUTURA "FIRE" HANDLE, MILL |
| | PUFR | FUTURA "FIRE" HANDLE, RED |
| | PUFW | FUTURA "FIRE" HANDLE, WHITE |
| | PUCH | PULL HANDLE, CHROME |




PLASTIC SIGNS

| QTY | MODEL | DESCRIPTION |
|-----|-------|------------------------|
| | 22S | FE, 3D ANGLE, 4" x 12" |
| | 23S | FE, 3D TENT, 4" x 18" |
| | 24S | FE, 3D TENT, 5" x 6" |
| | 25S | FE, FLUSH, 4" x 12" |




LETTERING

| QTY | MODEL | DESCRIPTION |
|-----|---------------|---|
| | LDCVRFE | DIE CUT, VERT, RED, FIRE EXTINGUISHER, 3/4" x 18" |
| | LDCVBFE | DIE CUT, VERT, BLACK, FIRE EXTINGUISHER, 3/4" x 18" |
| | LDVRFE | DECAL, VERT, RED, FIRE EXTINGUISHER, 3/4" x 18" |
| | LDCVRFE-ESM-A | DIE CUT, VERT, RED, FIRE EXTINGUISHER (fits 81 tub), 3/4" x 14" |
| | LDCHRFE-2 | DIE CUT, HORZ, RED, FIRE EXTINGUISHER, 2" HIGH, 4-1/2" x 21" |



ALARMS

| QTY | MODEL | DESCRIPTION |
|-----|----------|---|
| | BA | BRIGADIER ALARM, MINI THEFT STOPPER WITH DOOR POSITION SENSOR |
| | C-KIT-CA | COMMANDER ALARM KIT, includes alarm, 9V battery, & screws |



Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

© 2025 Activar Construction Products Group, Inc.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

Page 3 of 4

FIRE PROTECTION CABINET - ARCHITECTURAL: AMBASSADOR SERIES - Steel

MADE-TO-ORDER AMBASSADOR FIRE PROTECTION CABINET - EXAMPLE: C1015W17A-BK4ET01

| QTY | PRODUCT LINE | TUB I.D. SIZE | DOOR/TRIM MATERIAL | TRIM PROJECTION | DOOR/LATCH STYLE | GLAZING/DOOR TYPE |
|-----|--------------------|------------------------------|--------------------------------------|--|---|--|
| | C (Cabinet) | 81 9" x 18" x 5-½" | 1 CRS, white powdercoat (Std) | 5 Fully recessed 3/8" square flat edge | F Full view | 10 .09" Clear acrylic |
| | | 17 10-½" x 24" x 5" | | 6 Semi-recessed 1-¼" or 1-½" square edge | G Full view w/ Saf-T-Lok™ | 13 1/4" Clear wired glass |
| | | 18 10-½" x 24" x 5-½" | | 0 Semi-recessed 2-¼" square edge (1700 series only) | D Horizontal duo | 15 1/8" Bronze acrylic |
| | | 10 10-½" x 24" x 6" | | 7 Semi-recessed 2-½" or 3" rolled edge | E Horizontal duo w/ Saf-T-Lok™ | 16 1/8" Gray acrylic |
| | | 20 12" x 27" x 7-¾" | | 2 Semi-recessed 4" rolled edge, recessed handle | V Vertical duo | 17 1/8" Clear tempered glass |
| | | 30 16" x 32" x 7-¾" | | 8 Semi-recessed 4-½" rolled edge | W Vertical duo w/ Saf-T-Lok™ | 18 1/4" Clear safety glass |
| | | 40 20" x 27" x 7-¾" | | 3 Surface-mount square edge (Std. for surface-mounted) | B Small view window w/ Saf-T-Lok™ | 21 No glazing, no lock w/ pull (S21 only) |
| | | | | 9 Surface-mount rolled edge | S Solid | 22 No glazing, Saf-T-Lok™ w/ pull (L22 only) |
| | | | | | L Solid w/ Saf-T-Lok™ | 24 No glazing, Saf-T-Lok™ and no pull (L24 only) |

| HANDLE/LATCH OPTIONS | | ALARM OPTIONS | |
|----------------------|--|---------------|-----------|
| (none) | Standard handle | CA | Commander |
| A | Recessed handle | BA | Brigadier |
| LH | Lever handle (not avail. with Saf-T-Lok™) | SA | Strobe |
| MC | Magnetic latch (replaces roller catch) | | |
| FM | Futura "FIRE" Mill | | |
| FR | Futura "FIRE" Red | | |
| FW | Futura "FIRE" White | | |

| MATERIAL OPTIONS | | FINISH | | LETTERING OPTIONS | |
|------------------|---|--|-----------------------|--|--|
| F26D | Satin chrome (not avail. on surface-mount) | (none) | White door, trim, tub | SS01 | Silkscreen: SS-FELVR FIRE EXTINGUISHER, vertical, red |
| | | BK4 | Black door, trim, tub | SS01D* | Silkscreen: SS-FELVR FIRE EXTINGUISHER, vertical, red, on door |
| | | R4 | Red door, trim, tub | SS01G* | Silkscreen: SS-FELVR FIRE EXTINGUISHER, vertical, red, on glazing |
| | | COLOR - OTHER (please specify) Refer to supplemental submittal | | ET01 | Etching: ET-FELVR FIRE EXTINGUISHER, vertical, red (for glass only) |
| | | Door | | EN01 | Engraving: EN-FELVR FIRE EXTINGUISHER, vertical, red (for metal only) |
| | | Trim | | LETTERING - OTHER (please specify) Refer to supplemental submittal | |
| | | Tub | | Other | |

* DUO style doors (D, E, V, W) must specify location of silkscreen

Refer to supplemental submittals for information on more options and accessories.

USE SECTION BELOW TO LIST OTHER CABINETS

| QTY | MODEL NUMBER (ex: C1017F10A) | NOTES: |
|-----|---------------------------------|--------|
| | | |
| | | |
| | | |
| | | |

| TRIM STYLE & PROJECTION | | | | | | | |
|-------------------------|---------------------|---------------|-------------------|------------------------|-------------|---------------------|---------------------|
| RECESSED | | SEMI-RECESSED | | | | SURFACE-MOUNT | |
| 5 | 6 | 0 | 7 | 2 | 8 | 3 | 9 |
| | | | | | | | |
| 3/8" Flat Square | 1-¼" or 1-½" Square | 2-¼" Square | 2-½" or 3" Rolled | 4" Rolled w/ Rec. Hndl | 4-½" Rolled | 5-½" to 8-¼" Square | 5-½" to 8-¼" Rolled |